


Vetscan Imagyst[®] AI Blood Smear Result Interpretation Guide

Eric Morissette, DVM, Diplomate ACVP (Clinical)

Haematology Evaluation

WBC Differential+



Grey Bands: Generic reference intervals

Blue Bands: Results

Evaluation of a blood smear generates ESTIMATED blood cell counts. For this reason, actual reference intervals for the included parameters are not listed - due to the variability of estimated counts.

For each parameter, the blue band shown within the wider grey band is a generic representation of the estimated CBC counts.

WBC Differential

Estimated WBC differential is based on 200 WBC's in the monolayer. Review results in conjunction with automated CBC results. If discrepancy occurs, assess the whole slide image for signs WBCs are pushed to the feather edge. Consider Add on Expert Review to verify and rule out significant disease states.

Platelets

If aggregated platelets are reported:

- Evaluate scanned image for PLT clumps, including the feathered edge, and assess level of clumping with the platelet count measured by Vetscan Imagyst


Band Neutrophils

Band neutrophils are immature neutrophils, with normal counts typically ranging from 0-300/ μ L in dogs and cats¹. An increase in band neutrophils, or a left shift, often accompanies inflammation. A regenerative left shift, with a predominance of mature neutrophils, indicates an adequate bone marrow response. In contrast, degenerative left shifts occurs when band neutrophils outnumber mature neutrophils, often with a low or normal neutrophil count, signaling severe inflammation or compromised bone marrow function.

Nucleated RBC

- Most automated haematology analysers count nRBC as WBC, and the presence of high numbers of nRBC will affect the total WBC count
- nRBC: value ≥ 5 nRBC / 100 WBC is clinically significant
- If Vetscan Imagyst finds ≥ 5 nRBC / 100 WBC, the automated analyser WBC needs to be corrected using this formula:³
 - Corrected WBC = initial WBC cell count x [100 \div (nRBC + 100)]**

Polychromatophil (PCM)



Vetscan Imagyst® AI Blood Smear Result Interpretation

Red Blood Cell Morphology

Acanthocytes

Generally form due to alterations in lipid / cholesterol composition of RBC membrane or fragmentation injury to RBCs. Observed in liver disease, haemangiosarcoma, disseminated intravascular coagulation or DIC (dog), vasculitis (dog) lymphosarcoma, gastrointestinal disease, glomerulonephritis, osteosarcoma, and high cholesterol diets have been associated with acanthocytosis. In cats with liver disease, acanthocytes are reported as the most common poikilocyte.^{4,5,6}

Keratocytes

Generally form due to oxidant or fragmentation injury of erythrocytes such as observed in iron-deficiency anaemia, liver disorders, and various disorders having concomitant acanthocytes (fragmentation) and eccentrocytes (oxidative damage).^{11,12,13}

Schistocytes

Typically caused by the fragmentation of erythrocytes due to vascular abnormalities and/or mechanical fragility of red blood cells. Erythrocyte fragments with pointed extremities are called schistocytes or schizocytes, and they are smaller than normal red blood cells.

Microangiopathic fragmentation has been described in dogs in several different disorders including DIC, glomerulonephritis, haemangiosarcoma, haemophagocytic histiocytic disorders, myelofibrosis, haemolytic uraemic syndrome, heart failure, severe iron-deficiency anaemia, caudal vena cava syndrome of dirofilariasis and chronic doxorubicin toxicosis.^{14,15}

Schistocytes are seen in cats with hepatic disease, DIC, and doxorubicin toxicity.^{16,17,18}

Echinocytes (Crenated Erythrocytes)

Generally form due to the expansion of the outer layer of the erythrocyte membrane. When observed in stained blood films, echinocytosis is usually an artifact that results from excess EDTA, improper smear preparation, or prolonged sample storage before blood film preparation. The appearance of the echinocytes can vary depending on the thickness of the blood film.⁷

In dogs, echinocytes have been reported with glomerulonephritis, lymphoma, haemangiosarcoma, and other neoplasms, immune-mediated haemolytic anaemia, and doxorubicin toxicosis among others.^{8,9}

Cats likely have echinocytes with many of these diseases as well, but echinocytes have been specifically reported with chronic doxorubicin administration.¹⁰

Eccentrocytes (Hemighosts Erythrocytes)

Typically caused by direct oxidative damage to the erythrocyte inner cytoplasmic membrane and cytoskeleton, resulting in adhesion of opposing cytoplasmic sides of the erythrocyte membrane. In dogs, it is generally secondary to increased endogenous oxidants associated with ketoacidotic diabetes, inflammation, neoplasia (especially lymphoma) and *Babesia canis* infection. Eccentrocytes have been seen in dogs ingesting or receiving oxidants including onions and garlic, acetaminophen and nonsteroidal anti-inflammatory drugs, vitamin K and vitamin K antagonist rodenticides and naphthalene. Eccentrocyte formation also occurs in cats following oxidant damage¹⁹ such as acetaminophen toxicity or during prolonged or repeated anaesthesia using propofol.

References

1. Zoetis Reference Lab. Data on file.
2. Based on Zoetis Study on File DH7MR-US-21-038, Zoetis demonstrating PCM is an estimate for Reticulocytes on the Vetscan Imagyst AI
3. K. S. Latimer, E. et. al. Duncan & Prasse's Veterinary Laboratory Medicine: Clinical Pathology 5th Edition, Iowa State Press, Iowa City, 2011. p 59.
4. Anne M. Barger, Erythrocyte Morphology, Schalm's Veterinary Hematology, 10.1002/9781119500537, (188-197), (2022). In (Brooks MB, Harr KE., Seelig DM., Wardrop K.J., Weiss DJ., (Editors). 2022. Schalm's Veterinary Hematology, Seventh Edition. Wiley Blackwell. ISBN:9781119500506. PP:192.)
5. Hirsch VM, Jacobsen J, Mills JH. A retrospective study of canine hemangiosarcoma and its association with acanthocytosis. Can Vet J 1981;22:152-155.
6. Warry E, Bohn A, Emanuelli, et al. Disease distribution in canine patients with acanthocytosis: 123 cases. Vet Clin Pathol 2013;42:465-470.
7. Harvey, J.W. 2012. Veterinary Hematology: A Diagnostic Guide and Color Atlas. Elsevier. ISBN 978-1-4377-0173-9. PP: 65
8. Anne M. Barger, Erythrocyte Morphology, Schalm's Veterinary Hematology, 10.1002/9781119500537, (188-197), (2022). In (Brooks MB, Harr KE., Seelig DM., Wardrop K.J., Weiss DJ., (Editors). 2022. Schalm's Veterinary Hematology, Seventh Edition. Wiley Blackwell. ISBN:9781119500506. PP:192.)
9. Sabina RL, Woodliff JE, Giger U. Disturbed erythrocyte calcium homeostasis and adenine nucleotide dysregulation in canine phosphofructokinase deficiency. Comp Clin Path. 2008;17:117-123.
10. Anne M. Barger, Erythrocyte Morphology, Schalm's Veterinary Hematology, 10.1002/9781119500537, (188-197), (2022). In (Brooks MB, Harr KE., Seelig DM., Wardrop K.J., Weiss DJ., (Editors). 2022. Schalm's Veterinary Hematology, Seventh Edition. Wiley Blackwell. ISBN:9781119500506. PP:192.)
11. Harvey, J.W. 2012. Veterinary Hematology: A Diagnostic Guide and Color Atlas. Elsevier. ISBN 978-1-4377-0173-9. PP: 67
12. O'Keefe DA, Schaeffer DJ. Hematologic toxicosis associated with doxorubicin administration in cats. J Vet Intern Med. 1992;6:276-283.
13. Anne M. Barger, Erythrocyte Morphology, Schalm's Veterinary Hematology, 10.1002/9781119500537, (188-197), (2022). In (Brooks MB, Harr KE., Seelig DM., Wardrop K.J., Weiss DJ., (Editors). 2022. Schalm's Veterinary Hematology, Seventh Edition. Wiley Blackwell. ISBN:9781119500506. PP:193.)
14. Harvey, J.W. 2012. Veterinary Hematology: A Diagnostic Guide and Color Atlas. Elsevier. ISBN 978-1-4377-0173-9. PP:69-70.
15. Anne M. Barger, Erythrocyte Morphology, Schalm's Veterinary Hematology, 10.1002/9781119500537, (188-197), (2022). In (Brooks MB, Harr KE., Seelig DM., Wardrop K.J., Weiss DJ., (Editors). 2022. Schalm's Veterinary Hematology, Seventh Edition. Wiley Blackwell. ISBN:9781119500506. PP:193.)
16. Tholen I, Weingart C, Kohn B. Concentration of D-dimers in healthy cats and sick cats with and without disseminated intravascular coagulation (DIC). J Feline Med Surg. 2009;11:842-846.
17. Christopher MM, Lee SE. Red cell morphologic alterations in cats with hepatic disease. Vet Clin Pathol 1994;23:7-12.
18. Harvey, J.W. 2012. Veterinary Hematology: A Diagnostic Guide and Color Atlas. Elsevier. ISBN 978-1-4377-0173-9. PP:69-71.
19. Caldin, M., Carli, E., Furlanello, T., Solano-Gallego, L., Tasca, S., Patron, C. and Lubas, G. (2005), A retrospective study of 60 cases of eccentrocytosis in the dog. Veterinary Clinical Pathology, 34: 224-231. <https://doi.org/10.1111/>

Zoetis Diagnostics Support 0800 100 109, dxsupport.nz@zoetis.com

Zoetis New Zealand Limited. Tel: 0800 963 847; www.zoetis.co.nz. VETSCAN is a registered trademark of Zoetis. MM-37029

LOOK DEEPER

zoetis